

References (excerpted from August 2010 Delta Flow Criteria Report)

Exhibits Cited

American Rivers (AR), Natural Heritage Institute (NHI). Exhibit 1. Testimony of John R. Cain, Dr. Jeff Opperman, and Dr. Mark Tompkins on Sacramento and San Joaquin Flows, Floodplains, Other Stressors, and Adaptive Management.

California Department of Fish and Game (DFG). Exhibit 1. Effects of Delta Inflow and Outflow on Several Native, Recreational, and Commercial Species.

California Department of Fish and Game (DFG). Exhibit 2. Development of an Estuarine Fish Habitat Suitability Indicator Based on Delta Outflow and Other Factors.

California Department of Fish and Game (DFG). Exhibit 3. Flows Needed in the Delta to Restore Anadromous Salmonid Passage from the San Joaquin River at Vernalis to Chipps Island.

California Department of Fish and Game (DFG). Exhibit 4. Effects of Water Temperature on Anadromous Salmonids in the San Joaquin River Basin.

California Sportfishing Protection Alliance (CSPA). Exhibit 1. Testimony of Bill Jennings.

California Sportfishing Protection Alliance (CSPA). Exhibit 7. Testimony of Carl Mesick, Statement Of Key Issues On The Volume, Quality, And Timing Of Delta Outflows Necessary For The Delta Ecosystem to Protect Public Trust Resources With Particular Reference To Fall-Run Chinook Salmon In The San Joaquin River Basin.

California Sportfishing Protection Alliance (CSPA). Exhibit 14. The High Risk of Extinction for the Natural Fall-Run Chinook Salmon Population in the Lower Tuolumne River due to Insufficient Instream Flow Releases. Carl Mesick, Ph.D. Energy and Instream Flow Branch U.S. Fish and Wildlife Service.

California Water Impact Network (CWIN). Exhibit 2. Testimony of Tim Stroshane.

Delta Environmental Flows Group (DEFG). Exhibit 1. Key Points on Delta Environmental Flows for the State Water Resources Control Board.

Delta Environmental Flows Group (DEFG). Exhibit 2. Changing ecosystems: a brief ecological history of the Delta.

Environmental Defense Fund (EDF). Exhibit 1. A Focal Species and Ecosystem Functions Approach for Developing Public Trust Flows in the Sacramento and San Joaquin River Delta. Testimony prepared by Stillwater Sciences.

National Marine Fisheries Service (NMFS). Exhibit 3. NMFS OCAP Biological Opinion & Appendices (June 2009)

National Marine Fisheries Service (NMFS). Exhibit 5. Public Draft Recovery Plan for Central Valley Salmon and Steelhead & Appendices (October 2009).

National Marine Fisheries Service (NMFS). Exhibit 7. Residence of Winter-Run Chinook Salmon in the Sacramento-San Joaquin Delta: The role of Sacramento River hydrology in driving juvenile abundance and migration patterns in the Delta.

National Marine Fisheries Service (NMFS). Written Summary.

Pacific Coast Federation of Fishermen's Associations (PCFFA). Exhibit 2. Testimony of William M. Kier. San Francisco Bay-Delta estuary water quality and flow criteria necessary to protect Sacramento River fall-run chinook salmon.

State and Federal Water Contractors (SFWC). Exhibit 1. Written Testimony: The Information Proceeding to Develop Flow Criteria for the Delta Ecosystem. Submitted on behalf of the San Luis and Delta Mendota Water Authority, State Water Contractors, Westland Water District, Santa Clara Valley Water District, Kern County Water Agency, and Metropolitan Water District of Southern California.

The Bay Institute (TBI) and Natural Resources Defense Council (NRDC). Exhibit 1. Written Testimony of Jonathan Rosenfield, Ph.D., Christina Swanson, Ph.D., John Cain, and Carson Cox Regarding General Analytical Framework.

The Bay Institute (TBI) and Natural Resources Defense Council (NRDC). Exhibit 2 – Written Testimony of Jonathan Rosenfield, Ph.D. and Christina Swanson, Ph.D. Regarding Flow Criteria for the Delta Necessary to Protect Public Trust Resources: Delta Outflows.

The Bay Institute (TBI) and Natural Resources Defense Council (NRDC). Exhibit 3. Written Testimony of Christina Swanson, Ph.D., John Cain, Jeff Opperman, Ph.D., and Mark Tompkins, Ph.D. Regarding Delta Inflows.

The Bay Institute (TBI) and Natural Resources Defense Council (NRDC). Exhibit 4. Written Testimony of Christina Swanson, Ph.D. Regarding Delta Hydrodynamics.

United States Department of the Interior (DOI). Exhibit 1. Comments regarding the California State Water Resources Control Board notice of public informational proceeding to develop Delta flow criteria for the Delta ecosystem necessary to protect public trust resources.

Closing Comments Cited

American Rivers (AR), Natural Heritage Institute (NHI). Closing Comments.

California Department of Fish and Game (DFG). Closing Comments.

California Sportfishing Protection Alliance (CSPA). Closing Comments.

California Water Impact Network (CWIN). Closing Comments.

Contra Costa Water District (CCWD). Closing Comments.

Department of Water Resources (DWR). Closing Comments.

Environmental Defense Fund (EDF). Closing Comments.

The Bay Institute (TBI) and Natural Resources Defense Council (NRDC). Closing Comments.

State and Federal Water Contractors (SFWC). Closing Comments.

Literature Cited

Anadromous Fish Restoration Program (AFRP). 2005. Recommended streamflow schedules to meet the AFRP doubling goal in the San Joaquin River Basin. 27 September 2005.

Baxter, R.D. 1999. Pleuronectiformes. Pages 369-442 In J. Orsi, editor. Report on the 1980-1995 fish, shrimp and crab sampling in the San Francisco Estuary. Interagency Ecological Program for the Sacramento-San Joaquin Estuary Technical Report 63.

Baxter, R., R. Breuer, L. Brown, M. Chotkowski, F. Feyrer, M. Gingras, B. Herbold, A. Mueller-Solger, M. Nobriga, T. Sommer and K. Souza. 2008. Pelagic organism decline progress report: 2007 synthesis of results. Interagency Ecological Program for the San Francisco Estuary. http://www/science.calwater.ca.gov/pdf/workshops/POD/IEP_POD_2007_synthesis_report_031408.pdf

Baxter, R. M. Nobriga, S. Slater and R. Fujimura. 2009. Effects Analysis. State Water Project Effects on Longfin Smelt. California Department of Fish and Game, Sacramento, CA.

Bay Delta Conservation Plan (BDCP). 2009. Working Draft Conservation Strategy, Chapter 3. 27 July 2009.

Bennett, W.A. 2005. Critical assessment of the delta smelt population in the San Francisco Estuary, California. San Francisco Estuary and Watershed Science [Internet]:3(2).
<http://repositories.cdlib.org/jmie/sfews/vol3/iss2/art1>

Brandes, P.L. and J S. McLain. 2001. Juvenile Chinook salmon abundance, distribution, and survival in the Sacramento-San Joaquin Estuary. In: R.L. Brown, editor, Contributions to the biology of Central Valley salmonids. Volume 2. California Department of Fish and Game Fish Bulletin 179:39-136.

Brown, L.R. 2003. Will tidal wetland restoration enhance populations of native fishes? San Francisco Estuary and Watershed Science 1, Article 2.
<http://repositories.cdlib.org/jmie/sfews/vol1/iss1/art2>

Brown, L.R and J.T. May. 2006. Variation in spring nearshore resident fish species composition and life histories in the Lower Sacramento-San Joaquin watershed and Delta. San Francisco Estuary and Watershed Science 4. Article 1.
<http://escholarship.org/uc/item/09j597dn?query=Brown,%20L.R.>

Brown, L. R., and D. Michniuk. 2007. Littoral fish assemblages of the alien-dominated Sacramento-San Joaquin Delta, California, 1980-1983 and 2001-2003. Estuaries and Coasts 30:186-200.

Brown, L.R., W. Kimmerer, and R. Brown. 2008. Managing water to protect fish: a review of California's Environmental Water Account, 2001-2005. Environmental Management DOI 10.1007/s00267-008-9213-4 <http://www.springerlink.com/content/u4022223x2181287/fulltext.pdf>

Bunn, S.E. and A.H. Arthington. 2002. Basic Principles and Ecological Consequences of Altered Flow Regimes for Aquatic Biodiversity. Environmental Management 30(4):492-507.

CALFED Bay-Delta Program. 2000. Strategic plan for ecosystem restoration. Sacramento, CA.

California Department of Fish and Game (DFG). 1987. Requirements of American Shad (*Alosa sapidissima*) in the Sacramento-San Joaquin River System. Exhibit 23, Entered by the DFG for the State Water Resources Control Board 1987 Water Quality/Water Rights Proceeding on the San Francisco Bay/Sacramento-San Joaquin Delta.

California Department of Fish and Game (DFG). 1987b. Long-term trends in zooplankton distribution and abundance in the Sacramento-San Joaquin Estuary. Exhibit 28, Entered by DFG for the State Water Resources Control Board 1987 Water Quality and Water Rights Proceedings on the San Francisco Bay and Sacramento-San Joaquin Delta.

California Department of Fish and Game (DFG). 1992. Estuary dependent species. Exhibit 6, Entered by the DFG for the State Water Resources Control Board 1992 Water Quality/Water Rights Proceedings on the San Francisco Bay/Sacramento-San Joaquin Delta.

California Department of Fish and Game (DFG). 1998. A status review of the spring run Chinook salmon in the Sacramento River drainage. Report to the Fish and Game Commission. Candidate species status report 98-1. Sacramento, California. June. 394 pp.

California Department of Fish and Game (DFG). 2009. California Endangered Species Act Incidental Take Permit No. 2081-2009-001-03, Department of Water Resources, California State Water Project Delta Facilities and Operations.

California Department of Fish and Game (DFG). 2010. State and Federally Listed Endangered and Threatened Animals of California. January 2010. Biogeographic Data Branch, California Natural Diversity Database.

Central Valley Regional Water Quality Control Board. 2009. The Water Quality Control Plan (Basin Plan) for the California Regional Water Quality Control Board, Central Valley Region, The Sacramento River Basin and The San Joaquin River Basin, Fourth Edition. Revised September 2009 (with Approved Amendments).

Daniels, R.A., and P.B. Moyle. 1983. Life history of the Sacramento splittail (Cyprinidae: *Pogonichthys macrolepidotus*) in the Sacramento–San Joaquin estuary. *Fishery Bulletin* 81:647–654.

Dege, M., and L.R. Brown. 2004. Effect of outflow on spring and summertime distribution of larval and juvenile fishes in the upper San Francisco Estuary. Pages 49–65 In F. Feyrer, L.R. Brown, R.L. Brown, and J.J. Orsi, eds. Early life history of fishes in the San Francisco estuary and watershed. American Fisheries Society, Symposium 39, Bethesda, Maryland.

Delta Smelt Working Group (DSWG). 2006. Meeting Notes dated September 26, 2006. http://www.fws.gov/sacramento/es/documents/ds_working_group/DSWG_Minutes_26Sep06.pdf

Department of Water Resources (DWR). 2006. California Central Valley Unimpaired Flow Data, Fourth Edition, Bay-Delta Office, California Department of Water Resources, Sacramento, CA.

Department of Water Resources (DWR). 2007. Sacramento-San Joaquin Delta Overview. State of California. See <http://baydeltaoffice.water.ca.gov/sdb/tbp/deltaoverview/index.cfm>

Dettman, D.H., D.W. Kelley, and W.T. Mitchell. 1987. The influence of flow on Central Valley salmon. Prepared for the California Department of Water Resources. Revised July 1987. (Available from D.W. Kelley and Associates, 8955 Langs Hill Rd., P.O. Box 634, Newcastle, CA 95658).

Dugdale, R.C., F.P. Wilkerson, V.E. Hogue, and A. Marchi. 2007. The role of ammonium and nitrate in spring bloom development in San Francisco Bay, *Estuarine Coastal and Shelf Science* 73:17-29.

Emmett, R.L., S.A. Hinton, S.L. Stone, and M.E. Monaco. 1991. Distribution and abundance of fishes and invertebrates in west coast estuaries Volume II: species life history summaries. NOAA/NOS Strategic Environmental Assessments Division, 8, Rockville, MD. 329 pp.

Feyrer, F. 2004. Ecological segregation of native and alien larval fish assemblages in the southern Sacramento-San Joaquin Delta. Pages 67-80 in F. Feyrer, L.R. Brown, R.L. Brown, and J.J. Orsi, editors. Early Life History of Fishes in the San Francisco Estuary and Watershed. American Fisheries Society, Symposium 39, Bethesda, Maryland.

Feyrer, F. and M.P. Healey. 2003. Fish community structure and environmental correlates in the highly altered southern Sacramento-San Joaquin Delta. *Environmental Biology of Fishes* 66(2):123-132.

Feyrer, F., B. Herbold, S.A. Matern, and P.B. Moyle. 2003. Dietary shifts in a stressed fish assemblage: Consequences of a bivalve invasion in the San Francisco Estuary. *Environmental Biology of Fishes* 67(3):277-288.

Feyrer, F., T. Sommer, and R.D. Baxter. 2005. Spatial-temporal distribution and habitat associations of age-0 splittail in the lower San Francisco watershed. *Copeia* 2005(1):159-168.

Feyrer, F., T. Sommer, and W. Harrell. 2006a. Managing floodplain inundation for native fish: production dynamics of age-0 splittail (*Pogonichthys macrolepidotus*) in California's Yolo Bypass. *Hydrobiologia* 573:213-226.

Feyrer, F.T., T. Sommer and W. Harrell. 2006b. Importance of flood dynamics versus intrinsic physical habitat in structuring fish communities: Evidence from two adjacent engineered floodplains on the Sacramento River, California. *North American Journal of Fisheries Management* 26(2):408-417.

Feyrer, F., M.L. Nobriga, T.R. Sommer. 2007. Multi-decadal trends for three declining fish species: habitat patterns and mechanisms in the San Francisco Estuary, California, USA. *Canadian Journal of Fisheries and Aquatic Sciences* 64:723-734.

Feyrer, F., T. Sommer, and J. Hobbs. 2007a. Living in a dynamic environment: variability in life history traits of age-0 splittail in tributaries of San Francisco Bay. *Transactions American Fisheries Society* 136:1393-1405.

Feyrer, F., K. Newman, M.L. Nobriga, and T.R. Sommer. In review. Modeling the effects of future freshwater flow on the abiotic habitat of an imperiled estuarine fish. Manuscript submitted to *Estuaries and Coasts*.

Fleenor, W., W. Bennett, P. Moyle, and J. Lund. 2010. On developing prescriptions for freshwater flows to sustain desirable fishes in the Sacramento-San Joaquin Delta. Submitted to the State Water Resources Control Board regarding flow criteria for the Delta necessary to protect public trust resources. 43 pp.

Foe, C., A. Ballard, and S. Fong. 2010. Nutrient concentrations and biological effects in the Sacramento-San Joaquin Delta, Draft Report. Central Valley Regional Water Quality Control Board.

Glibert, P.M. 2010. Long-term changes in nutrient loading and stoichiometry and their relationships with changes in the food web and dominant pelagic fish species in the San Francisco Estuary, California. Pre-publication copy. *Reviews in Fisheries Science*.

Grimaldo, L.F., T. Sommer, N. Van Ark, G. Jones, E. Holland, P.B. Moyle, and B. Herbold. 2009. Factors affecting fish entrainment into massive water diversions in a tidal freshwater estuary: can fish losses be managed? *North American Journal of Fisheries Management* 29:1253–1270.

Hallock, R.J., W.F. Van Woert, and L. Shapovalov. 1961. An evaluation of stocking hatchery-reared steelhead rainbow trout (*Salmo gairdnerii gairdnerii*) in the Sacramento River system. California Department of Fish and Game. Fish Bulletin No. 14. 74 pp.

Harrell, W.C., and T.R. Sommer. 2003. Patterns of Adult Fish Use on California's Yolo Bypass Floodplain. California riparian systems: Processes and floodplain management, ecology, and restoration. Pages 88-93 in P.M. Faber, editor of 2001 Riparian Habitat and Floodplains Conference Proceedings, Riparian Habitat Joint Venture, Sacramento, California.

Hatfield, S. 1985. Seasonal and interannual variation in distribution and population abundance of the shrimp *Crangon franciscorum* in San Francisco Bay. *Hydrobiologia* 129:199–210.

Haugen, C.W. 1992. Starry flounder. Pages 103-104 In W. S. Leet, C. D. Dewees, and C. W. Haugen, eds. California's living marine resources and their utilization. Sea Grant Extension Program, UCSGEP-92-12. Department of Wildlife and Fisheries Biology, University of California, Davis, California.

Healey, M.C. 1991. Life history of Chinook salmon (*Oncorhynchus tshawytscha*). In C. Groot and L. Margolis, editors, Pacific Salmon Life Histories, pages 396-445 [check. Another reference said Pages 313-393]. University of British Columbia Press, Vancouver, British Columbia. 564 pp.

Hennessy, A. 2009. Zooplankton monitoring 2008. Interagency Ecological Program for the Sacramento-San Joaquin Estuary Newsletter 22(2):10-16.

- Hieb, K. 1999. Caridean Shrimp. In: J. Orsi, editor, Report on the 1980-1995 fish, shrimp, and crab sampling in the San Francisco Estuary, California. IEP Technical Report 63, 501 pp.
- Hughes, R.M., J.N. Rinne, and B. Calamusso. 2005. Historical changes in large river fish assemblages of the Americas: a synthesis. *American Fisheries Society Symposium* 45:603-612.
- Jassby, A.D., W.J. Kimmerer, S.G. Monismith, C. Armor, J.E. Cloern, T.M. Powell, J.R. Schubel, and T.J. Vendlinski. 1995. Isohaline position as a habitat indicator for estuarine populations. *Ecological Applications* 5(1):272-289.
- Jassby, A.D., and J.E. Cloern. 2000. Organic matter sources and rehabilitation of the Sacramento-San Joaquin Delta (California, USA). *Aquatic Conservation: Freshwater and Marine Ecosystems* 10:323-352.
- Jassby, A.D. 2008. Phytoplankton in the Upper San Francisco Estuary: Recent biomass trends, their causes and their trophic significance. *San Francisco Estuary and Watershed Science* 6(1):Article 2.
- Jeffres, C. A., J.J. Opperman, and P.B. Moyle. 2008. Ephemeral floodplain habitats provide best growth conditions for juvenile Chinook salmon in a California river. *Environmental Biology of Fishes* 83:449-458.
- Karpov, K.A., D.P. Albin, and W.H. Van Buskirk. 1995. The marine recreational fishery in northern and central California: A historical comparison (1958-86), status of stocks (1980-86) and effects of changes in the California current. *California Department of Fish and Game, Fish Bulletin*. 176 pp.
- Kimmerer, W.J. 2002a. Effects of freshwater flow on abundance of estuarine organisms: physical effects or trophic linkages? *Marine Ecology Progress Series* 243:39-55.
- Kimmerer, W.J. 2002b. Physical, biological and management responses to variable freshwater flow into the San Francisco Estuary. *Estuaries* 25:1275-1290.
- Kimmerer, W.J. 2004. Open water processes of the San Francisco Estuary: from physical forcing to biological processes. *San Francisco Estuary and Watershed Science* [Internet] 2(1) <http://repositories.cdlib.org/jmie/sfews/vol2/iss1/art1>
- Kimmerer, W.J. 2008. Losses of Sacramento River Chinook salmon and Delta smelt (*Hypomesus transpacificus*) to entrainment in water diversions in the Sacramento-San Joaquin Delta. *San Francisco Estuary and Watershed Science* 6(2):Article 2.
- Kimmerer, W. and M. Nobriga. 2008. Investigating particle transport and fate in the Sacramento-San Joaquin Delta using a Particle Tracking Model. *San Francisco Estuary and Watershed Science* 6(1):Article 4.
- Kimmerer, W.J., E.S. Gross, and M.L. MacWilliams. 2009. Is the response of estuarine nekton to freshwater flow in the San Francisco Estuary explained by variation in habitat volume? *Estuaries and Coasts* 32:375-389.
- Kjelson, M.A., P.F. Raquel, and F.W. Fisher. 1981. Influences of freshwater inflow on Chinook salmon (*Oncorhynchus tshawytscha*) in the Sacramento-San Joaquin Estuary. In P.D. Cross and D.L. Williams, editors, *Proceedings of the National Symposium on Freshwater Inflow to Estuaries*, pp. 88-108. U.S. Fish and Wildlife Service, FWS/OBS-81-04.
- Kjelson, M.A., P.F. Raquel, and F.W. Fisher. 1982. Life history of fall-run juvenile chinook salmon, *Oncorhynchus tshawytscha*, in the Sacramento-San Joaquin estuary, California. In V.S. Kennedy (editor), *Estuarine comparisons*, pp. 393-411. Academic Press, New York, New York.
- Kjelson, M.A., and P.L. Brandes. 1989. The use of smolt survival estimates to quantify the effects of habitat changes on salmonid stocks in the Sacramento-San Joaquin rivers, California.

Pages 100-115 in Levings, C.D., L.B. Holtby, and M.A. Henderson. (ed.) Proceedings of the National Workshop on Effects of Habitat alteration on salmonid Stocks. Can. Spec. Publ. Fish. Aquat. Sci. 105:100-115.

Lee, K.N. 1999. Appraising Adaptive Management. Conservation Ecology 3(2):3.
<http://www.consecol.org/vol3/iss2/art3>.

Lott, J. 1998. Feeding habits of juvenile and adult delta smelt from the Sacramento-San Joaquin River Estuary. Interagency Ecological Program Newsletter 11(1):14-19.

Lund, J., E. Hanak, W. Fleenor, R. Howitt, J. Mount, and P. Moyle. 2007. Envisioning futures for the Sacramento-San Joaquin Delta, Public Policy Institute of California, San Francisco, CA. 284 pp.

Lund, J., E. Hanak, W. Fleenor, W. Bennett, R. Howitt, J. Mount, and P. Moyle. 2008. Comparing Futures for the Sacramento-San Joaquin Delta, Public Policy Institute of California, San Francisco, CA. 184 pp.

Lund, J., E. Hanak, W. Fleenor, W. Bennett, R. Howitt, J. Mount, and P. Moyle. 2010. Comparing Futures for the Sacramento-San Joaquin Delta. University of California Press, Berkeley, CA. 256 pp.

MacFarlane, B.R. and E.C. Norton. 2002. Physiological ecology of juvenile Chinook salmon (*Oncorhynchus tshawytscha*) at the southern end of their distribution, the San Francisco Estuary and Gulf of the Farallones, California. Fisheries Bulletin 100:244-257.

Mager, R.C. 1996. Gametogenesis, Reproduction and Artificial Propagation of Delta Smelt, *Hypomesus transpacificus*. [Dissertation] Davis: University of California, Davis. 115 pp.

Maslin, P., M. Lennox, and W. McKinney. 1997. Intermittent streams as rearing habitat for Sacramento River Chinook salmon (*Oncorhynchus tshawytscha*). California State University, Chico, Department of Biological Sciences. 89 pp.

Matern, S.A., P.B. Moyle and L.C. Pierce. 2002. Native and alien fishes in a California estuarine marsh: twenty-one years of changing assemblages. Transactions of the American Fisheries Society 131:797-816.

McElhany, P., M.H. Ruckelshaus, M.J. Ford, T.C. Wainwright, and E.P. Bjorkstedt. 2000. Viable salmonid populations and the recovery of evolutionarily significant units. U.S. Dept. Commer., NOAA Tech. Memo. NMFS-NWFSC-42. 156 pp.

McEwan, D. and T. A. Jackson. 1996. Steelhead restoration and management plan for California. California Department of Fish and Game. Sacramento, California. 234 pp.

Meng, L., P.B. Moyle, and B. Herbold. 1994. Changes in abundance and distribution of native and introduced fishes of Suisun Marsh. Transactions of the American Fisheries Society 123:498-507.

Meng, L., and P.B. Moyle. 1995. Status of splittail in the Sacramento-San Joaquin Estuary. Transactions of the American Fisheries Society 124:538-549.

Mesick, C. 2009. The high risk of extinction for the natural fall-run chinook salmon population in the lower Tuolumne River due to insufficient instream flow releases. U.S. Fish and Wildlife Service, Energy and Instream Flow Branch, Sacramento, CA. 4 September 2009. Exhibit No. FWS-50.

Miller, D.J., and R.N. Lea. 1972. Guide to the coastal marine fishes of California, volume 157.

Moyle, P.B., J.E. Williams, and E.D. Wikramanayake. 1989. Fish species of special concern of California. Wildlife and Fisheries Biology Department, University of California, Davis. Prepared for The Resources Agency, California Department of Fish and Game, Rancho Cordova.

- Moyle, P.B. 2002. Inland Fishes of California, 2nd Edition. University of California Press, Berkeley, California. 502 pp.
- Moyle, P.B., R.D. Baxter, T. Sommer, T.C. Foin, and S.A. Matern. 2004. Biology and population dynamics of Sacramento splittail (*Pogonichthys macrolepidotus*) in the San Francisco Estuary: A review. San Francisco Estuary and Watershed Science 2(2): Article 3.
- Moyle, P.B., P.K. Crain, and K. Whitener. 2007. Patterns in the use of a restored California floodplain by native and alien fishes. San Francisco Estuary and Watershed Science 5(3), 1-27. <http://repositories.cdlib.org/jmie/sfews/vol5/iss3/art1>
- Moyle, P.B. 2008. The future of fish in response to large-scale change in the San Francisco Estuary, California. Pages 357-374 in K.D. McLaughlin, editor. Mitigating impacts of natural hazards on fishery ecosystems. American Fisheries Society, Symposium 64, Bethesda, Maryland.
- Moyle, P. B. and W.A. Bennett. 2008. The future of the Delta ecosystem and its fish. Technical Appendix D. Comparing Futures for the Sacramento-San Joaquin Delta. Public Policy Institute of California. San Francisco, CA., 1-38.
- Moyle, P.B., W.A. Bennet, W.E. Fleenor, and J.R. Lund. 2010. Habitat variability and complexity in the Upper San Francisco Estuary. Working Paper, Delta Solutions, Center for Watershed Sciences, University of California, Davis.
- Müller-Solger, A., A.D. Jassby, and D.C. Müller-Navarra. 2002. Nutritional quality of food resources for zooplankton (*Daphnia*) in a tidal freshwater system (Sacramento-San Joaquin River Delta). Limnol Oceanogr 47(5):1468-1476.
- Murray, C. and D.R. Marmorek. 2004. Adaptive management: A science-based approach to managing ecosystems in the face of uncertainty. In: N.W.P. Munro, T.B. Herman, K. Beazley and P. Dearden (eds.). Making Ecosystem-based Management Work: Proceedings of the Fifth International Conference on Science and Management of Protected Areas, Victoria, BC, May, 2003. Science and Management of Protected Areas Association, Wolfville, Nova Scotia. http://www.essa.com/downloads/AM_paper_Fifth_International_SAMPAA_Conference.pdf
- National Academy of Sciences. 2010. A scientific assessment of alternatives for reducing water management effects on threatened and endangered fishes in the California's Bay Delta. Committee on Sustainable Water and Environmental Management in the California Bay-Delta. The National Academies Press; National Research Council, Washington, D.C. <http://www.nap.edu/catalog/12881.html>
- National Marine Fisheries Service (NMFS). 1994. Status of Sacramento River Winter-run Chinook Salmon, Final Rule. Federal Register 59(2):440-450.
- National Marine Fisheries Service (NMFS). 1998. Threatened Status for Two ESUs of Steelhead in Washington, Oregon, and California, Final Rule. Federal Register 63(53):13347-13371.
- National Marine Fisheries Service (NMFS). 1999. Threatened Status for Two Chinook Salmon Evolutionarily Significant Units (ESUs) in California, Final Rule. Federal Register 64(179):50394-50415.
- National Marine Fisheries Service (NMFS). 2004. Establishment of Species of Concern List, Addition of Species to Species of Concern List, Description of Factors for Identifying Species of Concern, and Revision of Candidate Species List Under the Endangered Species Act. Federal Register 69(73):19975-19979.
- National Marine Fisheries Service (NMFS). 2005. Final Listing Determinations for 16 ESUs of West Coast Salmon, and Final 4(d) Protective Regulations for Threatened Salmonid ESUs,

Final Rule. Federal Register 70(123):37160-37204.

National Marine Fisheries Service (NMFS). 2006a. Final Listing Determinations for 10 Distinct Population Segments of West Coast Steelhead, Final Rule. Federal Register 71(3):834-862.

National Marine Fisheries Service (NMFS). 2006b. Threatened Status for Southern Distinct Population Segment of North American Green Sturgeon, Final Rule. Federal Register 71(67):17757-17766.

National Marine Fisheries Service (NMFS). 2009. Public draft recovery plan for the evolutionarily significant units of Sacramento River winter-run Chinook salmon and Central Valley spring-run Chinook salmon and the distinct population segment of Central Valley steelhead. Sacramento Protected Resources Division.

http://swr.nmfs.noaa.gov/recovery/cent_val/Public_Draft_Recovery_Plan.pdf

Newman, K.B. 2003. Modelling paired release-recovery data in the presence of survival and capture heterogeneity with application to marked juvenile salmon. Statistical Modelling 3:157-177.

Nobriga, M.L., F. Feyrer, R.D. Baxter, and M. Chotowski. 2005. Fish community ecology in an altered river delta: spatial patterns in species composition, life history strategies, and biomass. Estuaries 28:776-785.

Nobriga, M.L., F. Feyrer, and R.D. Baxter. 2006. Aspects of Sacramento pikeminnow biology in nearshore habitats of the Sacramento-San Joaquin Delta, California. Western North American Naturalist 66:106-114.

Nobriga, M.L., T.R. Sommer, F. Feyrer, and K. Fleming. 2008. Long-term trends in summertime habitat suitability for delta smelt (*Hypomesus transpacificus*). San Francisco Estuary and Watershed Science 6:1-13.

Orcutt, H.G. 1950. The life history of the starry flounder, *Platichthys stellatus* (Pallas). Fish Bulletin 78:64 pp.

Perry, R.W. and J.R. Skalski. 2008. Migration and survival of juvenile Chinook salmon through the Sacramento-San Joaquin River Delta during the winter of 2006-2007. Report prepared for the U.S. Fish and Wildlife Service. September 2008. 32 pp.

Perry, R.W. and J.R. Skalski. 2009. Survival and migration route probabilities of juvenile chinook salmon in the Sacramento-San Joaquin River Delta during the winter of 2007-2008. Report prepared for the U.S. Fish and Wildlife Service. 15 July 2009. 54 pp.

Poff, N.L. and J.K.H. Zimmerman. 2010. Ecological responses to altered flow regimes: a literature review to inform environmental flows science and management. Freshwater Biology 55:194-20.

Reilly, P., K. Walters, and D. Richardson. 2001. Bay Shrimp. pp. 439-442 and 453, In W.S. Leet, C.M. Dewees, R. Klingbeil, and E.J. Larson, eds. California's Living Marine Resources: A Status Report, California Department of Fish and Game, 593 pp.

Ribeiro, F., P.K. Crain, and P.B. Moyle. 2004. Variation in Condition Factor and Growth in Young-of-Year Fishes in Floodplain and Riverine Habitats of the Cosumnes River, California. Hydrobiologia 527:7-84.

Rosenfield, J.A. and R.D. Baxter. 2007. Population dynamics and distribution patterns of longfin smelt in the San Francisco Estuary. Transactions of the American Fisheries Society 136:1577-1592.

Rutter, C. 1904. Natural history of the quinnat salmon. Investigations on Sacramento River, 1896-1901. Bulletin of the U.S. Fish Commission. 22:65-141.

San Joaquin River Group Authority (SJRGa). 2007. 2006 Annual Technical Report: On implementation and monitoring of the San Joaquin River Agreement and the Vernalis Adaptive Management Plan. January. 137 pp.

San Joaquin River Group Authority (SJRGa). 2008. 2007 Annual Technical Report: On implementation and monitoring of the San Joaquin River Agreement and the Vernalis Adaptive Management Plan. Prepared for the California Water Resources Control Board in compliance with D-1641. 128 pp.

Snider, B. 2001. Evaluation of effects of flow fluctuations on the anadromous fish populations in the lower American River. California Department of Fish and Game, Habitat Conservation Division. Stream Evaluation Program. Tech. Reports No. 1 and 2 with appendices 1-3. Sacramento, California

Sommer, T., R. Baxter, and B. Herbold. 1997. Resilience of splittail in the Sacramento-San Joaquin Estuary. *Transactions of the American Fisheries Society* 126:961-976.

Sommer, T.R., M. L. Nobriga, W.C. Harrell, W. Batham, and W. Kimmerer. 2001a. Floodplain rearing of juvenile Chinook salmon: evidence of enhanced growth and survival. *Canadian Journal of Fisheries and Aquatic Sciences* 58:325-333.

Sommer, T., B. Harrell, M. Nobriga, R. Brown, P. Moyle, W. Kimmerer, and L. Schemel. 2001b. California's Yolo Bypass: evidence that flood control can be compatible with fisheries, wetlands, wildlife, and agriculture. *Fisheries* 26:6-16.

Sommer, T.R., W.C. Harrell, A. Mueller-Solger, B. Tom, and W. Kimmerer. 2004. Effects of flow variation on channel and floodplain biota and habitats of the Sacramento River, California, USA. *Aquatic Conservation: Marine and Freshwater Ecosystems* 14:247-261.

Sommer, T., C. Armor, R. Baxter, R. Breuer, L. Brown, M. Chotkowski, S. Culberson, F. Feyrer, M. Gingras, B. Herbold, W. Kimmerer, A. Mueller-Solger, M. Nobriga, K. Souza. 2007. The collapse of pelagic fishes in the upper San Francisco Estuary. *Fisheries* 32:270-277.

Sommer, T., K. Reece, F. Mejia, and M. Nobriga. 2009. Delta smelt life history contingents: a possible upstream rearing strategy. *IEP Newsletter* 22(1):11-13.

State Water Resources Control Board. 1999. Final Environmental Impact Report for Implementation of the 1995 Bay/Delta Water Quality Control Plan. http://www.waterboards.ca.gov/waterrights/water_issues/programs/bay_delta/eirs/eir1999/index.shtml

State Water Resources Control Board. 2006a. Water Quality Control Plan for the San Francisco Bay/Sacramento-San Joaquin Delta Estuary. http://www.waterrights.ca.gov/baydelta/docs/2006_plan_final.pdf

State Water Resources Control Board. 2006b. Plan Amendment Report, Appendix 1 to the 2006 Water Quality Control Plan for the San Francisco Bay/Sacramento-San Joaquin Delta Estuary. http://www.waterboards.ca.gov/waterrights/water_issues/programs/bay_delta/wq_control_plans/2006wqcp/docs/2006_app1_final.pdf

State Water Resources Control Board. 2008. Strategic Workplan for Activities in the San Francisco Bay/Sacramento-San Joaquin Delta Estuary. http://www.waterrights.ca.gov/baydelta/docs/strategic_plan/baydelta_workplan_final.pdf

Stevens, D.E. and L.W. Miller. 1983. Effects of river flow on abundance of young Chinook salmon, American shad, longfin smelt, and delta smelt in the Sacramento-San Joaquin river system. *North American Journal of Fisheries Management* 3:425-437.

U.S. Environmental Protection Agency. 1999. 1999 Update of Ambient Water Quality Criteria for Ammonia. EPA 822-R-99-014. <http://www.epa.gov/waterscience/criteria/ammonia/99update.pdf>

U.S. Fish and Wildlife Service (USFWS). 1987. Exhibit 31: The Needs of Chinook Salmon, *Oncorhynchus tshawytscha*, in the Sacramento-San Joaquin Estuary. Entered by the U.S. Fish and Wildlife Service for the State Water Resources Control Board, 1987 Water Quality/Water Rights Proceeding on the San Francisco Bay/Sacramento-San Joaquin Delta.

U.S. Fish and Wildlife Service (USFWS). 1992. Expert testimony of United States Fish and Wildlife Service on chinook salmon technical information for State Water Resources Control Board Water Rights phase of the Bay/Delta Estuary Proceedings, 6 July 1992. WRINT-USFWS-7.

U.S. Fish and Wildlife Service (USFWS). 1993. Determination of Threatened Status for the Delta Smelt, Final Rule. Federal Register 58(42):12854-12864.

U.S. Fish and Wildlife Service (USFWS). 1995b. Working Paper on restoration needs: habitat restoration actions to double natural production of anadromous fish in the Central Valley of California. Volume 3. May 9, 1995. Prepared for the U.S. Fish and Wildlife Services under the direction of the Anadromous Fish Restoration Program Core Group. Stockton, CA.

U.S. Fish and Wildlife Service (USFWS). 1996. Recovery Plan for the Sacramento-San Joaquin Delta Native Fishes. U.S. Fish and Wildlife Service, Portland, Oregon.

U.S. Fish and Wildlife Service (USFWS). 2008. Biological opinion on coordinated operations of the central valley project and state water project.
http://www.fws.gov/sacramento/es/documents/swp-cvp_ops_bo_12-5_final_ocr.pdf.

U.S. Fish and Wildlife Service (USFWS). 2009. 12-Month Finding on a Petition to List the San Francisco Bay-Delta Population of the Longfin Smelt (*Spirinchus thaleichthys*) as Endangered. Federal Register 74(67):16169-16175.

U.S. Fish and Wildlife Service (USFWS). 2010. 12-Month Finding on a Petition to Reclassify the Delta Smelt from Threatened to Endangered Throughout Its Range. Federal Register 75(66):17667-17680.

Vogel, D.A. 2004. Juvenile Chinook salmon radio-telemetry studies in the northern and central Sacramento-San Joaquin Delta, 2002-2003. Report to the National Fish and Wildlife Foundation, Southwest Region. January. 44 pp.

Vogel, D.A. 2008. Pilot study to evaluate acoustic-tagged juvenile Chinook salmon smolt migration in the Northern Sacramento-San Joaquin Delta 2006-2007. Report prepared for the California Department of Water Resources, Bay/Delta Office. Natural Resource Scientists, Inc. March. 43 pp.

Wang, J. 1986. Fishes of the Sacramento-San Joaquin Estuary and adjacent waters, California: a guide to the early life stages. Interagency Ecological Studies Program Technical Report 9. Sacramento, California.

Wang, J.C.S. 2007. Spawning, early life stages, and early life histories of the Osmerids found in the Sacramento-San Joaquin Delta of California. Tracy Fish Facilities Studies California Volume 38. U.S. Bureau of Reclamation, Mid-Pacific Region.

Werner, I. L. Deanovic, M. Stillway, and D. Markiewicz 2008. The effects of wastewater treatment effluent associated contaminants on delta smelt. Final report to the State Water Resources Control Board. 60 pp.

Werner, I., L. Deanovic, M. Stillway, and D. Markiewicz. 2009. Acute Toxicity of Ammonia/um and Wastewater Treatment Effluent-Associated Contaminants on Delta Smelt, Final Report. 3 April 2009.

Wilkerson, F.P., R.C. Dugdale, V.E. Hogue, and A. Marchi. 2006. Phytoplankton Blooms and Nitrogen Productivity in the San Francisco Bay. Estuaries and Coasts. 29(3):401-416.

Williams, B. K., R. C. Szaro, and C. D. Shapiro. 2007. Adaptive Management: The U.S. Department of the Interior Technical Guide. Adaptive Management Working Group, U.S. Department of the Interior, Washington, DC.

Williams, B.K., R.C. Szaro, and C.D. Shapiro. 2007. Adaptive Management: The U.S. Department of the Interior Technical Guide. Adaptive Management Working Group, U.S. Department of the Interior, Washington, DC.

Yoshiyama, R. M., E. R. Gerstung, F. W. Fisher, and P. B. Moyle. 2001. Historical and present distribution of Chinook salmon in the Central Valley drainage of California. Pages 71-176 in Brown, R.L. (ed.), Contributions to the biology of Central Valley salmonids. (Fish Bulletin 179 v.1). Sacramento, CA. California Department of Fish and Game.